

DROITS ET PRIVILÈGES

GARGANTUA 8

Ce document est la propriété de SIATEL.

Il ne peut être reproduit ou communiqué sans l'autorisation écrite de SIATEL.

TABLE DES MATIÈRES

GARGANTUA 8 RIGHTS 5

RIGHTS BY USER COMMAND 6

 Folders 6

 Documents 7

 Notes 20

 Processes 20

 Other 20

RIGHTS BY SERVER COMMAND 21

 Administration library 21

 GED library 21

 Flow library 26

 Misc library 29

GARGANTUA 8 RIGHTS

RIGHTS BY USER COMMAND

FOLDERS

Command	Rights on object	Rights on parent object	Manager	Notes
Create	-	RIGHT_CREATE	-	Also requires form access and parent folder profile form access.
View attributes	RIGHT_VIEW_FOLDER_ATTR	-	-	
Modify attributes	RIGHT_VIEW_FOLDER_ATTR RIGHT_MODIFY_FOLDER_ATTR	-	-	
Move another folder	RIGHT_DELETE_FOLDER RIGHT_VIEW_FOLDER_ATTR RIGHT_MODIFY_FOLDER_ATTR	RIGHT_DELETE_CONTENTS RIGHT_CREATE	-	Rights are verified in source folder and in target folder RIGHT_DELETE_CONTENTS is checked in source folder RIGHT_CREATE is checked in target folder
Copy another folder	-	RIGHT_CREATE	-	RIGHT_CREATE is checked in target folder
Move workspace	RIGHT_DELETE_FOLDER RIGHT_VIEW_FOLDER_ATTR RIGHT_MODIFY_FOLDER_ATTR RIGHT_DELETE_CONTENTS	RIGHT_DELETE_CONTENTS RIGHT_CREATE	-	Rights are verified in source folder and in target workspace RIGHT_DELETE_CONTENTS is checked in source folder RIGHT_CREATE is checked in target folder
Copy to workspace	-	RIGHT_CREATE	-	RIGHT_CREATE is checked in target folder
Copy folder	-	-	-	

Command	Rights on object	Rights on parent object	Manager	Notes
Cut folder	RIGHT_DELETE_FOLDER	RIGHT_DELETE_CONTENTS	-	
Paste folder	-	RIGHT_CREATE	-	
Delete	RIGHT_DELETE_FOLDER	-	-	
Import folder structure	-	RIGHT_CREATE	-	This is a complex operation; documents rights are also checked when recursing through the structure; see document create rights.
Archive folder	RIGHT_ARCHIVE	-	-	
Unarchive folder	RIGHT_ARCHIVE	-	-	
Download folder	-	-	-	Depending on content access rights calculated when recursing
Notifications	-	-	-	
Audit	RIGHT_VIEW_LOG_FOLDER	-	-	
Info	-	-	-	
Folder note	RIGHT_CREATE_POSTIT	-	-	
Folder order	RIGHT_VIEW_FOLDER_ATTR RIGHT_MODIFY_FOLDER_ATTR	-	-	Recurring right apply when ordering an entire folder structure.
Asynchronous operations	RIGHT_CREATE	-	-	
Security	RIGHT_ADMIN	-	-	

DOCUMENTS

Command	Rights on object	Rights on parent object	Manager	Notes
---------	------------------	-------------------------	---------	-------

Command	Rights on object	Rights on parent object	Manager	Notes
Create	-	RIGHT_CREATE	-	Also requires form access and parent folder profile form access.
View document	RIGHT_VIEW_FILE	RIGHT_VIEW_FILE_CONTENTS	-	
View document notes	RIGHT_VIEW_FILE RIGHT_VIEW_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
Download file	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_VIEW_FILE_ORIGINAL	RIGHT_VIEW_FILE_CONTENTS	-	Same behaviour from viewer panel and document list RIGHT_VIEW_FILE_ORIGINAL is required for databases with PDF conversion
Print document	RIGHT_VIEW_FILE RIGHT_PRINT	RIGHT_VIEW_FILE_CONTENTS	-	Same behaviour from viewer panel and document list
View document versions	RIGHT_VIEW_FILE RIGHT_VIEW_VERSIONS	RIGHT_VIEW_FILE_CONTENTS	-	
Modify document file	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_VIEW_FILE_ORIGINAL	RIGHT_VIEW_FILE_CONTENTS	-	RIGHT_VIEW_FILE_ORIGINAL is required for databases with PDF conversion
Manage document links	RIGHT_VIEW_FILE RIGHT_VIEW_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
View document OCR file	RIGHT_VIEW_FILE	RIGHT_VIEW_FILE_CONTENTS	-	
Open in native application	RIGHT_VIEW_FILE	RIGHT_VIEW_FILE_CONTENTS	-	RIGHT_VIEW_FILE_ORIGINAL is required for databases with PDF conversion

Command	Rights on object	Rights on parent object	Manager	Notes
	RIGHT_DOWNLOAD_EMAIL RIGHT_VIEW_FILE_ORIGINAL			
Add to favorites	RIGHT_VIEW_FILE	RIGHT_VIEW_FILE_CONTENTS	-	
Move to another folder	RIGHT_DELETE_DOCUMENT	RIGHT_DELETE_CONTENTS RIGHT_CREATE	-	Rights are verified in source folder and in target folder RIGHT_CREATE is checked for target folder RIGHT_DELETE_CONTENTS (in source folder)
Copy to another folder	-	RIGHT_CREATE	-	RIGHT_CREATE is checked for target folder
Move to workspace	RIGHT_DELETE_DOCUMENT	RIGHT_DELETE_CONTENTS RIGHT_CREATE	-	Rights are verified in source folder and in target workspace RIGHT_CREATE is checked for target folder RIGHT_DELETE_CONTENTS (in source folder)
Copy to workspace	-	RIGHT_CREATE	-	RIGHT_CREATE is checked for target folder
Copy	-	-	-	
Cut	RIGHT_VIEW_VERSIONS RIGHT_DELETE_VERSION RIGHT_VIEW_DOC_ATTR RIGHT_VIEW_FILE RIGHT_DELETE	RIGHT_VIEW_FILE_CONTENTS RIGHT_DELETE_CONTENTS	-	RIGHT_VIEW_VERSIONS is checked only if document has versions RIGHT_DELETE_VERSIONS is checked only if document has versions
Paste	-	RIGHT_CREATE	-	For cut-paste operations, rights

Command	Rights on object	Rights on parent object	Manager	Notes
				have been verified when cut command is issued
Paste as link	-	RIGHT_CREATE	-	For cut-paste operations, rights have been verified when cut command is issued
Delete document	RIGHT_DELETE	RIGHT_DELETE_CONTENTS	-	
Delete document version	RIGHT_DELETE_VERSION	RIGHT_DELETE_CONTENTS	-	
View document attributes	RIGHT_VIEW_DOC_ATTR	-	-	Viewer panel in document attributes window has the same access rights as the main viewer panel.
Modify document attributes	RIGHT_MODIFY_DOC_ATTR	-	-	
Archive document	RIGHT_ARCHIVE	-	-	
Pin documents	RIGHT_PIN	RIGHT_CREATE	-	RIGHT_PIN is checked for every document that is part of the operation
Unpin pin	-	RIGHT_CREATE	-	
Unpin documents from pin	-	RIGHT_CREATE	-	
Convert to pdf (with replace)	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_MODIFY_FILE	RIGHT_VIEW_FILE_CONTENTS	-	
Convert to pdf (with version)	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL	RIGHT_VIEW_FILE_CONTENTS	-	

Command	Rights on object	Rights on parent object	Manager	Notes
	<code>RIGHT_CREATE_VERSION</code>			
Convert to pdf (with new document)	<code>RIGHT_VIEW_FILE</code> <code>RIGHT_VIEW_FILE_ORIGINAL</code>	<code>RIGHT_VIEW_FILE_CONTENTS</code> <code>RIGHT_CREATE</code>	-	
Divide pdf	<code>RIGHT_VIEW_FILE</code> <code>RIGHT_PIN</code> <code>RIGHT_DELETE</code>	<code>RIGHT_VIEW_FILE_CONTENTS</code> <code>RIGHT_CREATE</code> <code>RIGHT_DELETE_CONTENTS</code>	-	<code>RIGHT_PIN</code> is checked for pin output only. <code>RIGHT_DELETE</code> and <code>RIGHT_DELETE_CONTENTS</code> are checked only if original document is deleted
Broadcast (as external URL)	-	-	-	Effective rights are checked when external link is accessed
Broadcast (as download link)	-	-	-	Effective rights are checked when external link is accessed
Broadcast (as email)	<code>RIGHT_VIEW_FILE</code> <code>RIGHT_DOWNLOAD_EMAIL</code> <code>RIGHT_VIEW_FILE_ORIGINAL</code>	<code>RIGHT_VIEW_FILE_CONTENTS</code>	-	<code>RIGHT_VIEW_FILE_ORIGINAL</code> is used when emailing the original document, not the PDF version
Broadcast (to read)	<code>RIGHT_VIEW_FILE</code> <code>RIGHT_VIEW_FILE_ORIGINAL</code>	<code>RIGHT_VIEW_FILE_CONTENTS</code>	-	<code>RIGHT_VIEW_FILE_ORIGINAL</code> is used for documents within databases with PDF conversion
Email document	<code>RIGHT_VIEW_FILE</code> <code>RIGHT_VIEW_FILE_ORIGINAL</code> <code>RIGHT_DOWNLOAD_EMAIL</code>	<code>RIGHT_VIEW_FILE_CONTENTS</code>	-	Rights are checked depending on send options
Start process	-	<code>RIGHT_CREATE</code>	-	<code>RIGHT_CREATE</code> is initially checked on database object

Command	Rights on object	Rights on parent object	Manager	Notes
Check-out document	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_MODIFY_FILE RIGHT_MODIFY_DOC_ATTR RIGHT_VIEW_FILE_ORIGINAL	RIGHT_VIEW_FILE_CONTENTS	-	
Modify document file (with replace)	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_MODIFY_FILE RIGHT_VIEW_DOC_ATTR RIGHT_MODIFY_DOC_ATTR RIGHT_VIEW_FILE_ORIGINAL	-	-	RIGHT_MODIFY_DOC_ATTR is required when changing the document label
Modify document file (with new version)	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_MODIFY_FILE RIGHT_VIEW_DOC_ATTR RIGHT_MODIFY_DOC_ATTR RIGHT_VIEW_FILE_ORIGINAL	-	-	RIGHT_MODIFY_DOC_ATTR is required when changing the document label
Cancel check-out	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL RIGHT_MODIFY_FILE RIGHT_MODIFY_DOC_ATTR RIGHT_VIEW_FILE_ORIGINAL	-	-	
Lock document	RIGHT_VIEW_FILE RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	

Command	Rights on object	Rights on parent object	Manager	Notes
Unlock document	RIGHT_VIEW_FILE RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
Transform in card	RIGHT_VIEW_FILE RIGHT_MODIFY_FILE RIGHT_DELETE_VERSION	RIGHT_VIEW_FILE_CONTENTS	-	
Manage versions	RIGHT_VIEW_FILE RIGHT_DOWNLOAD_EMAIL	RIGHT_VIEW_FILE_CONTENTS	-	Rights required when opening dialog box; then rights are checked depending on the chosen operation
Delete document version	RIGHT_DELETE_VERSION	RIGHT_DELETE_CONTENTS	-	See 'Manage versions' for general rights
Rollback to selected version	RIGHT_DELETE_VERSION	RIGHT_DELETE_CONTENTS	-	See 'Manage versions' for general rights
Add to fulltext	RIGHT_VIEW_FILE RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
Remove from fulltext	RIGHT_VIEW_FILE RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
Notifications	-	-	-	
Audit	RIGHT_VIEW_LOG_DOC	-	-	
Informations	RIGHT_VIEW_VERSIONS	-	-	RIGHT_VIEW_VERSIONS is checked for version-related information
Sign / certify document	RIGHT_VIEW_FILE RIGHT_VIEW_FILE_ORIGINAL	RIGHT_VIEW_FILE_CONTENTS RIGHT_CREATE	-	Rights are checked depending on the desired outcome (replace or version)

Command	Rights on object	Rights on parent object	Manager	Notes
	RIGHT_MODIFY_FILE RIGHT_CREATE_VERSION			
Sign request	RIGHT_VIEW_FILE RIGHT_VIEW_FILE_ORIGINAL RIGHT_VIEW_DOC_ATTR RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
View sign history	-	-	-	
Start validation	RIGHT_VIEW_FILE RIGHT_VIEW_FILE_ORIGINAL RIGHT_VIEW_DOC_ATTR RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENTS	-	
Security	RIGHT_ADMIN	-	-	

Create - [RIGHT_CREATE](#) - Also requires form access and parent folder profile form access. View document
[RIGHT_VIEW_FILE](#) [RIGHT_VIEW_FILE_CONTENTS](#) - View document notes

[RIGHT_VIEW_FILE](#)

[RIGHT_VIEW_DOC_ATTR](#)

[RIGHT_VIEW_FILE_CONTENTS](#) - Download file

[RIGHT_VIEW_FILE](#)

[RIGHT_DOWNLOAD_EMAIL](#)

[RIGHT_VIEW_FILE_ORIGINAL](#)

[RIGHT_VIEW_FILE_CONTENTS](#) -

Same behaviour from viewer panel and document list

[RIGHT_VIEW_FILE_ORIGINAL](#) is required for databases with PDF conversion

Print document

[RIGHT_VIEW_FILE](#)

RIGHT_PRINT

RIGHT_VIEW_FILE_CONTENTS - Same behaviour from viewer panel and document list View document versions

RIGHT_VIEW_FILE

RIGHT_VIEW_VERSIONS

RIGHT_VIEW_FILE_CONTENTS - Modify document file

RIGHT_VIEW_FILE

RIGHT_DOWNLOAD_EMAIL

RIGHT_VIEW_FILE_ORIGINAL

RIGHT_VIEW_FILE_CONTENTS - RIGHT_VIEW_FILE_ORIGINAL is required for databases with PDF conversion
Manage document links

RIGHT_VIEW_FILE

RIGHT_VIEW_DOC_ATTR

RIGHT_VIEW_FILE_CONTENTS - View document OCR file RIGHT_VIEW_FILE RIGHT_VIEW_FILE_CONTENTS -
Open in native application

RIGHT_VIEW_FILE

RIGHT_DOWNLOAD_EMAIL

RIGHT_VIEW_FILE_ORIGINAL

RIGHT_VIEW_FILE_CONTENTS - RIGHT_VIEW_FILE_ORIGINAL is required for databases with PDF conversion
Add to favorites RIGHT_VIEW_FILE RIGHT_VIEW_FILE_CONTENTS - Move to another folder

RIGHT_DELETE_DOCUMENT

RIGHT_DELETE_CONTENTS

RIGHT_CREATE

-

Rights are verified in source folder and in target folder

RIGHT_CREATE is checked for target folder

RIGHT_DELETE_CONTENTS (in source folder)

Copy to another folder - RIGHT_CREATE - RIGHT_CREATE is checked for target folder Move to workspace

RIGHT_DELETE_DOCUMENT

RIGHT_DELETE_CONTENTS

RIGHT_CREATE

-

Rights are verified in source folder and in target workspace

`RIGHT_CREATE` is checked for target folder

`RIGHT_DELETE_CONTENTS` (in source folder)

Copy to workspace - `RIGHT_CREATE` - `RIGHT_CREATE` is checked for target folder Copy - - - Cut

`RIGHT_VIEW_VERSIONS`

`RIGHT_DELETE_VERSION`

`RIGHT_VIEW_DOC_ATTR`

`RIGHT_VIEW_FILE`

`RIGHT_DELETE`

`RIGHT_VIEW_FILE_CONTENTS`

`RIGHT_DELETE_CONTENTS`

-

`RIGHT_VIEW_VERSIONS` is checked only if document has versions

`RIGHT_DELETE_VERSIONS` is checked only if document has versions

Paste - `RIGHT_CREATE` - For cut-paste operations, rights have been verified when cut command is issued Paste

as link - `RIGHT_CREATE` - For cut-paste operations, rights have been verified when cut command is issued

Delete document `RIGHT_DELETE` `RIGHT_DELETE_CONTENTS` - Delete document version `RIGHT_DELETE_VERSION`

`RIGHT_DELETE_CONTENTS` - View document attributes `RIGHT_VIEW_DOC_ATTR` - - Viewer panel in document attributes window has the same access rights as the main viewer panel. Modify document attributes

`RIGHT_MODIFY_DOC_ATTR` - - Archive document `RIGHT_ARCHIVE` - - Pin documents `RIGHT_PIN` `RIGHT_CREATE`

- `RIGHT_PIN` is checked for every document that is part of the operation Unpin pin - `RIGHT_CREATE` - Unpin

documents from pin - `RIGHT_CREATE` - Convert to pdf (with replace)

`RIGHT_VIEW_FILE`

`RIGHT_DOWNLOAD_EMAIL`

`RIGHT_MODIFY_FILE`

`RIGHT_VIEW_FILE_CONTENTS` - Convert to pdf (with version)

`RIGHT_VIEW_FILE`

`RIGHT_DOWNLOAD_EMAIL`

`RIGHT_CREATE_VERSION`

`RIGHT_VIEW_FILE_CONTENTS` - Convert to pdf (with new document)

`RIGHT_VIEW_FILE`

`RIGHT_VIEW_FILE_ORIGINAL`

`RIGHT_VIEW_FILE_CONTENTS`

`RIGHT_CREATE`

-

Divide pdf

`RIGHT_VIEW_FILE`

`RIGHT_PIN`

`RIGHT_DELETE`

`RIGHT_VIEW_FILE_CONTENTS`

`RIGHT_CREATE`

`RIGHT_DELETE_CONTENTS`

-

`RIGHT_PIN` is checked for pin output only.

`RIGHT_DELETE` and `RIGHT_DELETE_CONTENTS` are checked only if original document is deleted

Broadcast (as external URL) - - - Effective rights are checked when external link is accessed
Broadcast (as download link) - - - Effective rights are checked when external link is accessed
Broadcast (as email)

`RIGHT_VIEW_FILE`

`RIGHT_DOWNLOAD_EMAIL`

`RIGHT_VIEW_FILE_ORIGINAL`

`RIGHT_VIEW_FILE_CONTENTS` - `RIGHT_VIEW_FILE_ORIGINAL` is used when emailing the original document, not the PDF version
Broadcast (to read)

`RIGHT_VIEW_FILE`

`RIGHT_VIEW_FILE_ORIGINAL`

`RIGHT_VIEW_FILE_CONTENTS` - `RIGHT_VIEW_FILE_ORIGINAL` is used for documents within databases with PDF conversion
Email document

`RIGHT_VIEW_FILE`

`RIGHT_VIEW_FILE_ORIGINAL`

`RIGHT_DOWNLOAD_EMAIL`

`RIGHT_VIEW_FILE_CONTENTS` - Rights are checked depending on send options
Start process - `RIGHT_CREATE` - `RIGHT_CREATE` is initially checked on database object
Check-out document

RIGHT_VIEW_FILE

RIGHT_DOWNLOAD_EMAIL

RIGHT_MODIFY_FILE

RIGHT_MODIFY_DOC_ATTR

RIGHT_VIEW_FILE_ORIGINAL

RIGHT_VIEW_FILE_CONTENTS - Modify document file (with replace)

RIGHT_VIEW_FILE

RIGHT_DOWNLOAD_EMAIL

RIGHT_MODIFY_FILE

RIGHT_VIEW_DOC_ATTR

RIGHT_MODIFY_DOC_ATTR

RIGHT_VIEW_FILE_ORIGINAL

- - RIGHT_MODIFY_DOC_ATTR is required when changing the document label Modify document file (with new version)

RIGHT_VIEW_FILE

RIGHT_DOWNLOAD_EMAIL

RIGHT_MODIFY_FILE

RIGHT_VIEW_DOC_ATTR

RIGHT_MODIFY_DOC_ATTR

RIGHT_VIEW_FILE_ORIGINAL

- - RIGHT_MODIFY_DOC_ATTR is required when changing the document label Cancel check-out

RIGHT_VIEW_FILE

RIGHT_DOWNLOAD_EMAIL

RIGHT_MODIFY_FILE

RIGHT_MODIFY_DOC_ATTR

RIGHT_VIEW_FILE_ORIGINAL

- - Lock document

RIGHT_VIEW_FILE

RIGHT_MODIFY_DOC_ATTR

`RIGHT_VIEW_FILE_CONTENTS` - Unlock document

`RIGHT_VIEW_FILE`

`RIGHT_MODIFY_DOC_ATTR`

`RIGHT_VIEW_FILE_CONTENTS` - Transform in card

`RIGHT_VIEW_FILE`

`RIGHT_MODIFY_FILE`

`RIGHT_DELETE_VERSION`

`RIGHT_VIEW_FILE_CONTENTS` - Manage versions

`RIGHT_VIEW_FILE`

`RIGHT_DOWNLOAD_EMAIL`

`RIGHT_VIEW_FILE_CONTENTS` -

Rights required when opening dialog box; then rights are checked depending on the chosen operation

Delete document version `RIGHT_DELETE_VERSION` `RIGHT_DELETE_CONTENTS` - See 'Manage versions' for general rights
Rollback to selected version `RIGHT_DELETE_VERSION` `RIGHT_DELETE_CONTENTS` - See 'Manage versions' for general rights
Add to fulltext

`RIGHT_VIEW_FILE`

`RIGHT_MODIFY_DOC_ATTR`

`RIGHT_VIEW_FILE_CONTENTS` - Remove from fulltext

`RIGHT_VIEW_FILE`

`RIGHT_MODIFY_DOC_ATTR`

`RIGHT_VIEW_FILE_CONTENTS` - Notifications - - - Audit `RIGHT_VIEW_LOG_DOC` - - Informations
`RIGHT_VIEW_VERSIONS` - - `RIGHT_VIEW_VERSIONS` is checked for version-related information Sign / certify document

`RIGHT_VIEW_FILE`

`RIGHT_VIEW_FILE_ORIGINAL`

`RIGHT_MODIFY_FILE`

`RIGHT_CREATE_VERSION`

`RIGHT_VIEW_FILE_CONTENTS`

`RIGHT_CREATE`

- Rights are checked depending on the desired outcome (replace or version) Sign request

RIGHT_VIEW_FILE

RIGHT_VIEW_FILE_ORIGINAL

RIGHT_VIEW_DOC_ATTR

RIGHT_MODIFY_DOC_ATTR

RIGHT_VIEW_FILE_CONTENTS - View sign history - - - Start validation

RIGHT_VIEW_FILE

RIGHT_VIEW_FILE_ORIGINAL

RIGHT_VIEW_DOC_ATTR

RIGHT_MODIFY_DOC_ATTR

RIGHT_VIEW_FILE_CONTENTS - Security RIGHT_ADMIN - -

NOTES

Command	Rights on object	Rights on parent object	Manager	Notes
---------	------------------	-------------------------	---------	-------

PROCESSES

Command	Rights on object	Rights on parent object	Manager	Notes
---------	------------------	-------------------------	---------	-------

OTHER

Command	Rights on object	Rights on parent object	Manager	Notes
---------	------------------	-------------------------	---------	-------

RIGHTS BY SERVER COMMAND

ADMINISTRATION LIBRARY

GED LIBRARY

Command	Rights on object	Rights on parent object
CMD_ADD_DOCUMENT_IN_FULLTEXT	RIGHT_VIEW_FILE RIGHT_MODIFY_DOC_ATTR	RIGHT_VIEW_FILE_CONTENT
CMD_AUTOPOSITION_OBJECT	-	-
CMD_CHECKIN_DOCUMENT	?	?
CMD_CHECKOUT_DOCUMENT	?	?
CMD_CHECK_ACTION	-	-
CMD_CHECK_OBJECT	-	-
CMD_CHECK_OBJECT_LINK	-	-
CMD_CHECK_TRASH	-	-
CMD_CONFIRM_ACTION	-	-
CMD_COPY_DOCUMENT		
CMD_COUNT_CHECKEDOUT_DOCUMENTS		
CMD_COUNT_COMMENTS		
CMD_COUNT_DOCUMENT		
CMD_COUNT_DOC_SIGNING_CYCLE		
CMD_COUNT_DOC_VALIDATION_CYCLE		
CMD_COUNT_FAVORITE		
CMD_COUNT_FOLDER		
CMD_COUNT_OBJECT_LINKS		
CMD_COUNT_OBJECT_REFERENCES		

Command	Rights on object	Rights on parent object
CMD_COUNT_TRASH		
CMD_COUNT_VERSION		
CMD_CREATE_COMMENT	-	RIGHT_COMMENT_WRITE
CMD_CREATE_DOCUMENT	-	RIGHT_CREATE
CMD_CREATE_EXPIRABLE_DOWNLOAD_LINK	-	-
CMD_CREATE_FAVORITE	-	-
CMD_CREATE_FOLDER	-	RIGHT_CREATE
CMD_CREATE_FOLDER_HIERARCHY	-	RIGHT_CREATE
CMD_CREATE_NOTE	-	RIGHT_CREATE_POSTIT
CMD_CREATE_OBJECT_LINK	-	-
CMD_CREATE_VERSION	-	RIGHT_CREATE_VERSION
CMD_DELETE_COMMENT		
CMD_DELETE_DOCUMENT		
CMD_DELETE_DOCUMENT_TRASH		
CMD_DELETE_DOC_SIGNING_CYCLE		
CMD_DELETE_DOC_VALIDATION_CYCLE		
CMD_DELETE_EXPIRABLE_DOWNLOAD_LINK		
CMD_DELETE_FAVORITE		
CMD_DELETE_FOLDER		
CMD_DELETE_FOLDER_TRASH		
CMD_DELETE_NOTE		
CMD_DELETE_OBJECT_LINK		
CMD_DELETE_VERSION		
CMD_DELETE_VERSION_TRASH		
CMD_DELETE_WORKSPACE_ASSIGNMENT		
CMD_ENUMERATE_CHECKEDOUT_DOCUMENTS		
CMD_ENUMERATE_CLASSELEMENTS		

Command	Rights on object	Rights on parent object
CMD_ENUMERATE_COMMENTS	RIGHT_COMMENT_READ	-
CMD_ENUMERATE_DOCUMENTS	RIGHT_VIEW_VERSIONS (Prefix.DOC?_VERSION) RIGHT_VIEW_FILE (Flag.FILE_ID Flag.OCR_FILE_ID) RIGHT_VIEW_DOC_ATTR (Flag.ATTRIBUTES)	
CMD_ENUMERATE_DOC_SIGNING_CYCLE		
CMD_ENUMERATE_DOC_VALIDATION_CYCLE		
CMD_ENUMERATE_EXPIRABLE_DOWNLOAD_LINK	-	-
CMD_ENUMERATE_FAVORITE	-	-
CMD_ENUMERATE_FOLDERS	RIGHT_VIEW_FOLDER_ATTR (Flag.ATTRIBUTES)	-
CMD_ENUMERATE_LIFECYCLE_JOB		
CMD_ENUMERATE_NOTES		
CMD_ENUMERATE_OBJECT_LINKS		
CMD_ENUMERATE_OBJECT_REFERENCES		
CMD_ENUMERATE_TRASH		
CMD_ENUMERATE_VERSIONS		
CMD_ENUMERATE_WORKSPACE_USERS		
CMD_GENERATE_WORKSPACE_ASSIGNMENT		
CMD_GET_CONTENT_TIMESTAMP		
CMD_GET_COUNTER_VALUE		
CMD_GET_CUSTOM_COUNTER_VALUE		
CMD_GET_DISTRIBUTION_LIST		
CMD_GET_DOC_SIGNING_CYCLE		
CMD_GET_DOC_VALIDATION_CYCLE		

Command	Rights on object	Rights on parent object
CMD_GET_INFO_FOLDER		
CMD_GET_PATH_DOCUMENT_TRASH		
CMD_GET_PATH_FOLDER_TRASH		
CMD_GET_PATH_VERSION_TRASH		
CMD_GET_TRASH_LIST_PDF		
CMD_INVALIDATE_CACHE_RENDER_SECURITY_PROFILE		
CMD_LOCK_DOCUMENT		
CMD_MOVE_ACTIVE_ARCHIVE		
CMD_MOVE_ARCHIVE_ACTIVE		
CMD_MOVE_DOCUMENT		
CMD_MOVE_FOLDER		
CMD_MOVE_PIN		
CMD_PASTE_OBJECTS		
CMD_PING		
CMD_PIN_DOCUMENTS		
CMD_POSITION_DOCUMENT		
CMD_POSITION_FOLDER		
CMD_POS_DOCUMENT		
CMD_POS_FOLDER		
CMD_QUERY_EXPIRABLE_DOWNLOAD_LINK		
CMD_QUERY_LIFECYCLE_JOB		
CMD_READ_CLASSELEMENT		
CMD_READ_COMMENT		
CMD_READ_DOCUMENT		
CMD_READ_DOCUMENT_BY_UUID		
CMD_READ_DOC_SIGNING_CYCLE		
CMD_READ_DOC_VALIDATION_CYCLE		

Command	Rights on object	Rights on parent object
CMD_READ_EXPIRABLE_DOWNLOAD_LINK		
CMD_READ_FOLDER		
CMD_READ_NOTE		
CMD_READ_OBJECT_LINK		
CMD_READ_VERSION		
CMD_REBUILD_ID		
CMD_REINDEX_ALL_IN_FULLTEXT		
CMD_REINDEX_DOCUMENT_IN_FULLTEXT		
CMD_REINDEX_NOTE_IN_FULLTEXT		
CMD_RELOCATE_DOCUMENT		
CMD_REMOVE_DOCUMENT_FROM_FULLTEXT		
CMD_REMOVE_FROM_FAVORITE		
CMD_RENDER_CLASSELEMENT_PARENT		
CMD_REORDER_FOLDER_CONTENT		
CMD_RESTORE_DOCUMENTS_TRASH		
CMD_RESTORE_FOLDER_TRASH		
CMD_RESTORE_VERSION_TRASH		
CMD_RETRIEVE_DOCUMENT_ATTRIBUTES		
CMD_RETRIEVE_FOLDER_ATTRIBUTES		
CMD_ROLLBACK_DOCUMENT		
CMD_SET_DISPLAY_PROFILE		
CMD_SET_DISTRIBUTION_LIST		
CMD_SET_DOC_SIGNING_CYCLE		
CMD_SET_DOC_VALIDATION_CYCLE		
CMD_START_DOC_SIGNING_CYCLE		
CMD_START_DOC_VALIDATION_CYCLE		
CMD_STOP_DOC_SIGNING_CYCLE		

Command	Rights on object	Rights on parent object
CMD_STOP_DOC_VALIDATION_CYCLE		
CMD_TAG_OBJECT		
CMD_UNLOCK_DOCUMENT		
CMD_UNPIN_DOCUMENTS		
CMD_UPDATE_COMMENT		
CMD_UPDATE_DOCUMENT		
CMD_UPDATE_EXPIRABLE_DOWNLOAD_LINK		
CMD_UPDATE_FOLDER		
CMD_UPDATE_LIFECYCLE_JOB		
CMD_UPDATE_NOTE		
CMD_UPDATE_OBJECTS		
CMD_UPDATE_OBJECT_LINK		
-		
-		

FLOW LIBRARY

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_ACCEPT_TASK				
CMD_ACTIVATE_INVALID_TASK				
CMD_ASSIGN_TASK				
CMD_CANCEL_PROCESS				
CMD_CANCEL_TASK				
CMD_COUNT_EVENTS				
CMD_COUNT_PROCESSES				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_COUNT_PROCESSES_BLOCKED				
CMD_COUNT_PROCESSES_FILTERED				
CMD_COUNT_TASKS				
CMD_CREATE_PROCESS				
CMD_CREATE_TASK				
CMD_DEASSIGN_TASK				
CMD_DELETE_PROCESS				
CMD_ENUMERATE_ACTIONS				
CMD_ENUMERATE_EVENTS				
CMD_ENUMERATE_INVALID_TASKS				
CMD_ENUMERATE_PROCESSES				
CMD_ENUMERATE_PROCESSES_BLOCKED				
CMD_ENUMERATE_PROCESSES_FILTERED				
CMD_ENUMERATE_PROCESS_DEFINITIONS				
CMD_ENUMERATE_PROCESS_START_POINTS				
CMD_ENUMERATE_TASKS				
CMD_ENUMERATE_TASK_BY_PROCDEF				
CMD_ESCALATE_TASK				
CMD_EXECUTE_ACTION				
CMD_EXPIRE_TASK				
CMD_FINISH_TASK				
CMD_GET_INBOX_SUMMARY				
CMD_LOAD_FLEX_BACKLOG				
CMD_POSTPONE_TASK				
CMD_POST_EVENT				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_QUERY_FLEX_NEXT				
CMD_QUERY_INBOX_GROUPED				
CMD_QUERY_SHARED_TASK_STATUS				
CMD_QUIT_TASK				
CMD_REACTIVATE_TASK				
CMD_READ_PROCESS				
CMD_READ_TASK				
CMD_REASSIGN_USER_TASKS				
CMD_RENDER_DELAY				
CMD_RENDER_PROCESS_DEFINITION				
CMD_REPORT_COUNT_PROCS				
CMD_REPORT_COUNT_TASKS_BYTASK				
CMD_REPORT_COUNT_TASKS_BYUSER				
CMD_REPORT_DURATION_PROCS				
CMD_REPORT_INBOX_DIRTY				
CMD_RESUME_PROCESS				
CMD_RESUME_TASK				
CMD_SAVE_FLEX_BACKLOG				
CMD_SET_TASK_FORM_ID				
CMD_SET_TASK_FORM_PAGE				
CMD_START_PROCESS				
CMD_TRIGGER_TASK				
CMD_UPDATE_PROCESS				
CMD_UPDATE_TASK				

MISC LIBRARY

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_CONVERT_TO_HTML				
CMD_CONVERT_TO_PDF				
CMD_CONVERT_TO_IMAGE				
CMD_CONVERT_TO_TXT				
CMD_CONVERT_DOCUMENT				
CMD_EVALUATE_WATERMARK				
CMD_EVALUATE_VERSION_OPTION				
CMD_CREATE_THUMB				
CMD_SEND_MAIL				
CMD_SCRIPT_EXECUTE				
CMD_EXPORT				
CMD_INFO_EXPORT				
CMD_EXPORT_INIT				
CMD_EXPORT_FOLDER_ADD				
CMD_EXPORT_FOLDER_DELETE				
CMD_EXPORT_JUKE_PREPARE				
CMD_EXPORT_JUKE_FILEIDS				
CMD_EXPORT_CLOSE				
CMD_EXPORT_JUKE_CANCELFIDEIDS				
CMD_IMPORT				
CMD_QUERY_IMPORT				
CMD_CREATE_ASYNC_JOB				
CMD_READ_ASYNC_JOB				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_UPDATE_ASYNC_JOB				
CMD_DELETE_ASYNC_JOB				
CMD_ENUMERATE_ASYNC_JOB				
CMD_START_ASYNC_JOB				
CMD_STOP_ASYNC_JOB				
CMD_PAUSE_ASYNC_JOB				
CMD_RESUME_ASYNC_JOB				
CMD_CONFIRM_ASYNC_JOB				
CMD_COUNT_ASYNC_JOB				
CMD_GET_ASYNC_JOB_FILE				
CMD_SET_ASYNC_JOB_FILE				
CMD_CHECK_AVAILABLE_ASYNC_JOB				
CMD_GET_EXTINFO_OBJECT				
CMD_CERTIFY_DOCUMENT				
CMD_GET_SIGNATURE_DATA				
CMD_QUERY_SERVERINFO				
CMD_SIGN_DOCUMENT				
CMD_CREATE_USER_CERTIFICATE				
CMD_DELETE_USER_CERTIFICATE				
CMD_EMAIL_ENUMERATOR				
CMD_COUNT_PAGES				
CMD_CREATE_PDF				
CMD_STORE_PDF				
CMD_RETRIEVE_PDF				
CMD_DELETE_PDF				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_CHECK_PDF				
CMD_CREATE_NOTIFICATION_DEFINITION				
CMD_READ_NOTIFICATION_DEFINITION				
CMD_UPDATE_NOTIFICATION_DEFINITION				
CMD_DELETE_NOTIFICATION_DEFINITION				
CMD_ENUMERATE_NOTIFICATION_DEFINITIONS				
CMD_COUNT_NOTIFICATION_DEFINITIONS				
CMD_CHECK_NOTIFICATION_DEFINITIONS				
CMD_CREATE_NOTIFICATION				
CMD_READ_NOTIFICATION				
CMD_UPDATE_NOTIFICATION				
CMD_DELETE_NOTIFICATION				
CMD_ENUMERATE_NOTIFICATIONS				
CMD_COUNT_NOTIFICATIONS				
CMD_GENERATE_FILE_FROM_TEMPLATE				
CMD_REPLACE_SIGNATURE_MARKERS				
CMD_DEBUG_ADMIN_SET_USER_PREFERENCE				
CMD_DEBUG_ADMIN_GET_USER_PREFERENCE				
CMD_DEBUG_ADMIN_CREATE_BREAKPOINT				
CMD_DEBUG_ADMIN_ENUMERATE_BREAKPOINTS				
CMD_DEBUG_ADMIN_UPDATE_BREAKPOINTS				
CMD_DEBUG_ADMIN_DELETE_BREAKPOINTS				
CMD_DEBUG_ADMIN_READ_SESSION				
CMD_DEBUG_ADMIN_CHECK_SESSIONS				
CMD_DEBUG_ADMIN_DELETE_SESSIONS				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_DEBUG_ADMIN_ENUMERATE_SESSIONS				
CMD_DEBUG_ADMIN_EXECUTE_ACTION				
CMD_DEBUG_ADMIN_EVALUATE_EXPRESSION				
CMD_DEBUG_ADMIN_UPDATE_VARIABLE				
CMD_DEBUG_ADMIN_EVALUATE_SCRATCH_PAD				
CMD_DEBUG_ENUMERATE_MAIL_MESSAGES				
CMD_DEBUG_CONFIRM_MAIL_MESSAGES				
CMD_DEBUG_DECLINE_MAIL_MESSAGES				
CMD_DEBUG_QUIT_MAIL_MESSAGES				
CMD_DEBUG_RESEND_MAIL_MESSAGES				
CMD_DEBUG_CREATE_SCRIPTOR_SNAPSHOT				
CMD_DEBUG_EVALUATE_SCRIPTOR_EXPRESSION				
CMD_DEBUG_ENUMERATE_SCRIPTOR_FUNCTIONS				
CMD_DEBUG_EVALUATE_SCRIPTOR_STEP_OVER				
CMD_DEBUG_EVALUATE_SCRIPTOR_STEP_INTO				
CMD_DEBUG_EVALUATE_SCRIPTOR_STEP_OUT				
CMD_DEBUG_EVALUATE_SCRIPTOR_GO				
CMD_DEBUG_EVALUATE_SCRIPTOR_EXIT				
CMD_DEBUG_CREATE_SCRIPTOR_BREAKPOINT				
CMD_DEBUG_DELETE_SCRIPTOR_BREAKPOINT				
CMD_DEBUG_EXIT_TASK				
CMD_DEBUG_CREATE_SESSION				
CMD_DEBUG_UPDATE_SESSION				
CMD_DEBUG_FINISH_SESSION				
CMD_DEBUG_CANCEL_SESSION				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_DEBUG_ENUMERATE_SESSION				
CMD_DEBUG_READ_SESSION				
CMD_DEBUG_CREATE_LAUNCH				
CMD_DEBUG_FINISH_LAUNCH				
CMD_DEBUG_PREVIEW_MAIL_ATTACHMENT				
CMD_DEBUG_RETRIEVE_MAIL_ATTACHMENT				
CMD_DEBUG_CONVERT_TO_IMAGE				
CMD_DEBUG_SWITCH_CONTEXT				
CMD_DEBUG_CHECK_AVAILABLE_CONTEXT				
CMD_DEBUG_CREATE_WATCHED_EXPRESSION				
CMD_DEBUG_DELETE_WATCHED_EXPRESSION				
CMD_DEBUG_UPDATE_WATCHED_EXPRESSION				
CMD_DEBUG_CREATE_PROCESS_SNAPSHOT				
CMD_DEBUG_CHECK_PROCESS_SNAPSHOT				
CMD_DEBUG_CANCEL_PROCESS_SNAPSHOT				
CMD_DEBUG_RESTORE_PROCESS_SNAPSHOT				
CMD_DEBUG_GET_JS_EXCEPTIONS				
CMD_DEBUG_EVALUATE_PROCESS_RUNTIME				
CMD_DEBUG_CREATE_IMPERSONATED_CONNECTION				
CMD_DEBUG_DELETE_IMPERSONATED_CONNECTION				
CMD_DEBUG_ENUMERATE_SCRIPTING_LOG_ENTRIES				
CMD_DEBUG_READ_SERVER_LOG				
CMD_DEBUG_ENUMERATE_FLOW_EVENTS				
CMD_DEBUG_ENUMERATE_BLOCKED_PROCESSES				
CMD_DEBUG_TRIGGER_TASK				

Command	Rights on object	Rights on parent object	Manager	Notes
CMD_IMPORT_FOLDER_HIERARCHY				
CMD_SPLIT_PDF				
CMD_GET_MARKER_POSITION				
CMD_CREATE_BARCODE				
CMD_EXPORT_PROCESS_DEFINITION_BPMN				
CMD_CHECK_OBJECT_TIMESTAMP				
CMD_RENDER_OBJECT_EXTERNAL_URL				
CMD_EXPAND_SCRIPT_MARKERS				
CMD_CHECK_OBJECT_DIFFERENCE				
CMD_READ_SENT_MAIL				
CMD_COUNT_SENT_MAILS				
CMD_ENUMERATE_SENT_MAILS				
CMD_PURGE_SENT_MAILS				
CMD_READ_NOTIFICATION_MESSAGE				
CMD_MARK_AS_READ_NOTIFICATION_MESSAGE				
CMD_MARK_AS_EXPIRED_NOTIFICATION_MESSAGE				
CMD_COUNT_NOTIFICATION_MESSAGES				
CMD_ENUMERATE_NOTIFICATION_MESSAGES				
CMD_PURGE_NOTIFICATION_MESSAGES				